

# Assessment of amblyopic children undergoing occlusion therapy by pattern visual evoked potentials and contrast sensitivity tests

[Mona M Nada](#)<sup>1</sup>, [Amira M El Gohary](#)<sup>1</sup>, [Radwa M Azmy](#)<sup>1</sup>, [Yasmine M ElSayed](#)<sup>2</sup>, [Bodour Abdelkader](#)<sup>1</sup>

- PMID: 37081780
- DOI: [10.1177/11206721231171423](https://doi.org/10.1177/11206721231171423)

## Abstract

**Background:** Amblyopia is a case where one or less commonly, both eyes have impaired visual performance, even with the best optical correction and no visible disease of the visual system.

**Objectives:** To assess contrast sensitivity tests (CST) and pattern visual evoked potentials (PVEP) results in amblyopic children who have already started occlusion therapy for durations ranging from 6 to 12 months.

**Methods:** This cross-sectional study was conducted on 200 eyes of 50 patients with monocular amblyopia and 50 age and sex matched controls. Both patients and controls underwent ophthalmological assessment, PVEP, and CST.

**Results:** There was no statistically significant difference in the results of P100 latencies of qualitative PVEP in amblyopic eyes compared to non-amblyopic eyes and control eyes, while the qualitative CST showed a highly statistically significant difference, being affected in 98% of amblyopic eyes compared to unaffected eyes (4%) and control eyes (4%). The maximum contrast level and minimal contrast level of quantitative CST were significantly lower in amblyopic eyes compared to non-amblyopic and control eyes. The cutoff value of maximal contrast level at mean frequencies of  $2.5 \pm 0.9$  Hz, and a range of (1.1-4.1) for amblyopic eyes is  $\leq 21$  dB, while the cutoff value of minimal contrast level at mean frequencies of  $13.4 \pm 2.6$  Hz, and a range of (6.7-18) for amblyopic eyes is  $\leq 12$  dB.

**Conclusion:** Detection of amblyopia by CST is a noninvasive and easy procedure, which represents a promising tool to support the diagnosis of amblyopia.

**Keywords:** Amblyopia; contrast sensitivity test; visual evoked potentials.